

SPECIFICATION

TO ALL WHOM IT MAY CONCERN:

BE IT KNOWN THAT I, SEIJI TAKAHASHI, a citizen of Japan residing at Tokyo, Japan have invented certain new and useful improvements in

INFORMATION SERVICE APPARATUS AND METHOD, INFORMATION
DISPLAY APPARATUS AND INFORMATION SERVICE SYSTEM

of which the following is a specification:-

BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention generally relates to information service apparatuses and, more particularly, to an information service apparatus that provides information to a terminal connected to the information service apparatus through a network.

2. Description of the Related Art

There are image processing apparatuses that serve as information service apparatuses. Along with the popularization of Web techniques, many image processing apparatuses, such as a line printer (LP), a multi-function printer (MFP), etc., have been provided with a Web server function so as to respond to a request from a client on a network by providing information regarding a status or structure of the apparatus and setting of the network in the form of a Web page.

On the other hand, with the internationalization in recent years, users using information service apparatuses of the same model have become not always use the same language. In order to cope with such circumstances, there are many apparatuses available on the market that can provide the same information in various different languages.

A Web server, which offers the same

information in various languages, judges a language which a user desires to use in accordance with a value of an Accept-Language field contained in a Uniform Resource Locator (URL) requested by a Web client or a
5 request header of a Hyper Text Transfer Protocol (HTTP), and provides Web pages in the thus-judged language.

However, there a case where a language is not clearly designated by a Web client (for example, there in no input of designation in the Accept-Language field),
10 or even if the designation of a language is provided, the Web server does not support the designated language. In such a case, a Web page is provided to the Web client in a predetermined language that is previously set irrespective of user's designation. That is, there are
15 many cases where a Web page is described in English as an international common language.

However, there is a problem in that English is not always a language that can be easily understood by users of the Web server.

20

SUMMARY OF THE INVENTION

It is a general object of the present invention to provide an information service apparatus and method, information display apparatus and
25 information service system, in which the above-mentioned

problems are eliminated.

A more specific object of the present invention is to provide an information service apparatus and method, information display apparatus and
5 information service system, which can provide information described in a language suitable for a user.

In order to achieve the above-mentioned objects, there is provided according to one aspect of the present invention an information service apparatus
10 for providing information to a terminal connected through a network in accordance with a request sent from the terminal, the information service apparatus comprising: an operation panel on which operation information on the information service apparatus is
15 displayed; language correspondence judgment means for judging whether or not the information can be provided in a language designated by discrimination information contained in the request from the terminal; and language determination means for determining the language to be
20 used in providing the information, wherein, when the language correspondence judgment means determines that the information in the language designated by the discrimination information cannot be provided, the language determination means sets an operation panel
25 language used for displaying the operation information

on the operation panel as the language used for providing the information.

According to the above-mentioned information service apparatus, information can be provided to a user in a language suitable for the user since the information is displayed in the language used in a display on the operation panel of the information service apparatus when the information service apparatus is incapable of providing the information in the language requested by the terminal.

Additionally, the information service apparatus according to the present invention may further comprise discrimination information existence judgment means for judging whether the discrimination information is contained in the request from the terminal, wherein the language determination means may set the operation panel language as the language used for providing the information when the discrimination information existence judgment means judges that the discrimination information is not contained in the request from the terminal.

Accordingly, even when the terminal does not provided a clear designation of the language to be used, information can be provided to a user in a language suitable for the user since the information is displayed

in a language that is used in a display on the operation panel of the information service apparatus and has a high possibility for a user to understand the language.

Further, in the above-mentioned information service apparatus, a plurality of languages may be supported as the operation panel language so as to use one language previously selected from among the plurality of languages when displaying the operation information on the operation panel.

Accordingly, the above-mentioned information service apparatus can provide information in a language selected from among a plurality of supported languages when it is incapable of providing the information in the language requested by the terminal or when the terminal does not provided clear designation of the language to be used.

Additionally, in the information service apparatus according to the present invention, when the language designated by the discrimination information contained in the request from the terminal corresponds to neither of the plurality of supported languages, the language correspondence judgment means may judge that the information cannot be provided in the language designated by the discrimination information.

Further, in the information service apparatus

according to the present invention, the request from the terminal may be a HTTP request, and the discrimination information may be a value of an Accept-Language field included in the HTTP request. The information service
5 apparatus may be an image processing apparatus, which processes image data.

Additionally, there is provided according to another aspect of the present invention an information display apparatus comprising: information service
10 request means for sending a send request to an information service apparatus that provides information through a network, the send request for requesting the information and designating a language used in displaying the information; and information display
15 means for displaying the information received from the information service apparatus, wherein, when the information service apparatus is incapable of providing the information in the language designated by the information service request means, the information
20 display means displays the information received from the information service apparatus in a language used for displaying information on an operation panel of the information service apparatus.

According to the above-mentioned information
25 display apparatus, information can be provided to a user

in a language suitable for the user since the information is displayed in the language, which is used in a display on the operation panel of the information service apparatus and has a high possibility for the user to understand the language, when the information service apparatus is incapable of providing the information in the language requested by the terminal.

Additionally, there is provided according to another aspect of the present invention an information service system comprising: a terminal connected to a network; and an information service apparatus sending information to the terminal through the network in accordance with a request sent from the terminal,

wherein the information service apparatus comprises: an operation panel on which operation information on the information service apparatus is displayed; language correspondence judgment means for judging whether or not the information can be provided in a language designated by discrimination information contained in the request from the terminal; and language determination means for determining the language to be used in providing the information, wherein, when the language correspondence judgment means determines that the information in the language designated by the discrimination information cannot be provided, the

language determination means sets an operation panel language used for displaying the operation information on the operation panel as the language used for providing the information; and wherein the terminal
5 displays the information in the language determined by the language determination means.

Further, there is provided according to another aspect of the present invention an information service method for providing information from an
10 information service apparatus to a terminal connected to the information service apparatus through a network in accordance with a request sent from the terminal, comprising: a language correspondence judgment procedure of judging whether or not the information can be
15 provided in a language designated by discrimination information contained in the request from the terminal; and a language determination procedure of determining the language to be used in providing the information, wherein, when the language correspondence judgment
20 procedure determines that the information in the language designated by the discrimination information cannot be provided, the language determination procedure sets an operation panel language used for displaying the operation information on the operation panel as the
25 language used for providing the information.

Other objects, features and advantages of the present invention will become more apparent from the following detailed description when read in conjunction with the accompanying drawings.

5

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a diagram showing a functional structure of an image processing apparatus according to the present embodiment.

10

FIG. 2 is a diagram showing an example of a functional structure of the image processing apparatus as a Web server;

15

FIG. 3 is a sequence diagram for explaining an outline of a process performed in the image processing apparatus shown in FIG. 2;

FIG. 4 is a flowchart of a determination process for a display language performed by a language processing section shown in FIG. 2; and

20

FIG. 5 is an illustration for explaining a language information management table.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

A description will be given below, with reference to the drawings, of an embodiment of the present invention. In this embodiment, an image

25

processing apparatus is explained as an example of an information service apparatus.

FIG. 1 is a diagram showing a functional structure of an image processing apparatus according to the present embodiment.

As shown in FIG. 1, the image processing apparatus according to the present embodiment comprises: hardware resources, such as a plotter engine 1023 and a scanner engine 1024, for performing image processing individually; an engine control board 1022; an operating system (OS) 1021; a system management service 1016; a network service 1017; a memory management service 1018; an operation panel management service 1019; an engine management service 1020; and various kinds of applications such as a copy application 1011, a fax application 1012, a printer application 1013, a Web application 1014, etc.

The engine control board 1022 controls each functional part of the image processing apparatus, such as the plotter engine 1023 and the scanner engine 1024, so as to provide the functions of the engine control board 1022 to the operating system 1021.

The operating system 1021 can be achieved by, for example, UNIX (trade mark), and is capable of concurrently performing various kinds of software as

processes, such as the copy application 1012, the fax application 1012, etc.

The system management service 1016, the network service 1017, the memory management service 1018, 5 the operation panel management service 1019 and the engine management service 1020 provide their functions to higher-order applications such as the copy application, etc., through an application programming interface (API). That is, the system management service 10 1016 provides a function regarding a system management, and the network service 1017 provides a function regarding network communications. Moreover, the memory management service 1018 provides a function regarding a memory management, and the operation panel management 15 service 1019 provides a function regarding an operation panel provided in the image processing apparatus 10. Further, the engine management service 1020 provides a function for controlling the plotter engine 1023 and the scanner engine 1024 through the engine control board 20 1022.

The copy application 1011 is for achieving a copy function of the image processing apparatus 10. The fax application 1012 is for achieving a facsimile function of the image processing apparatus 10. The 25 printer application 1013 has a page description language

(PDL), a printer control language (PCL) and a postscript (PS) so as to achieve a printer function of the image processing apparatus 10. The Web application 1014, which provides a function relating to the present invention, provides various kinds of information in a language suitable for a remote user to terminals connected to the image processing apparatus through the network in a language suitable for the users of the terminals.

10 A description will now be given, with reference to FIG. 2, of a function as a Web server of the image forming apparatus 10, which is achieved by the above-mentioned Web application 1014 and network service 1017. FIG. 2 is a diagram showing an example of a functional structure of the image processing apparatus as a Web server. The image processing apparatus 10 shown in FIG. 2 comprises an incorporative Web server 11, a language processing section 12, a language information management table 13, a Web application 14, a Web application 14b, etc. The image processing apparatus 10 is connected with terminals 20, 30 and 40 through the network 50 such as a local area network (LAN), an intranet or the Internet.

25 The incorporative Web server 11 corresponds to a program generally referred to as HTTPd (HTTP daemon)

for causing the image processing apparatus 10 to serve as a Web server. Upon receipt of a send request (HTTP request) of a Web page sent from the terminal 20, etc., the Web server 11 inquires the language processing

5 section 12 of a language (a natural language: hereinafter, referred to as a "display language") used for producing a Web page that provides predetermined information. Then, the Web server 11 sends a request to the Web application 14a to produce a Web page described

10 in the display language notified by the language processing section 12. Furthermore, the incorporative Web server 11 sends, as an HTTP request, the Web page of HTML format produced by the Web application 14a to the terminal 20. It should be noted that the incorporative

15 Web server 11 is mounted as a part of the function of the network service 1017 in FIG. 1.

The language processing section 12 is a module for judging the display language suitable for the terminal 20 to which the send request of the Web page

20 was sent. The language processing section 12 judges a desired display language with reference to the language information management table 13. The language information management table 13 manages information regarding (available) display languages supported by the

25 image processing apparatus 10 and also information

regarding a language (hereinafter, referred to as an "operation panel language") currently used for the displayed object on the operation panel of the image processing apparatus 10.

5 Here, the operation panel is a panel provided in the image processing apparatus 10 for displaying operation information for operating an image processing apparatus 10 to the user of the image processing apparatus 10. Accordingly, the image processing
10 apparatus 10 is capable of selecting the operation panel language from among a plurality of previously installed languages in accordance with the user's designation. Thus, if the user designates, for example, Japanese language as the operation panel language, the image
15 processing apparatus 10 displays the operation information on the operation panel in Japanese. It should be noted, in the image processing apparatus 10 according to the preset embodiment, it is supposed that Japanese language and English language are supported,
20 and Japanese language is selected as the operation panel language.

 The Web application 14a and the Web application 14b (hereinafter, may be referred to as Web application 14 as a whole) perform a predetermined
25 process to produce a web page, which displays

information regarding the image processing apparatus 10,
in the language (display language) notified by the
incorporative Web server 11.

The terminals 20, 30 and 40 are a personal
5 computer (PC), a personal digital (data) assistant (PDA)
and a portable phone having Web browsers 21, 31 and 41,
respectively. The users of the terminals 20, 30 and 40
can check the information on the image processing
apparatus 10 through the respective web browsers 21, 31
10 and 41.

In a general Web browser, it is possible to
set up a use language. The language set in a Web
browser is specified as a value of the "Accept-Language
field" included in a request header of the HTTP request
15 when sending the HTTP request to the Web server. For
example, the value of the Accept-Language field is set
to "ja" if Japanese language is set as the use language
of a web browser, the value of the Accept-Language field
is set to "en-us" if American English is set as the use
20 language, and the value of the Accept-Language field is
set to "cs" if Czechoslovak language is set as the use
language. In the present embodiment, it is assumed that
Czechoslovak language is set in the web browser 21,
Japanese language is set in the web browser 22 and
25 American English language is set in the Web browser 23.

That is, it is assumed that the user of the terminal 20 is a Czechoslovak, the user of the terminal 30 is Japanese and the user of the terminal 40 is American. Additionally it is assumed that the image processing apparatus 10 and the terminals 20, 30 and 40 are located on the same floor of an Office building in Japan.

A description will now be given, with reference to FIG. 3, of a process procedure performed by the image processing apparatus 10 shown in FIG. 2. FIG. 3 is a sequence diagram for explaining an outline of the process performed in the image processing apparatus 10.

In step S1, when the Czechoslovakia user of the terminal 20 inputs an IP address or URL of the image processing apparatus 10 into the web browser 21 so as to check information on the image processing apparatus 10, the Web browser 21 sends the HTTP request, which requires transmission of a Web page, to the image processing apparatus 10. Here, the value of the Accept-Language field included in the request header of the HTTP request to be sent is set to "cs".

Following step S1, the routine proceeds to step S2 where the incorporative Web server 11 of the image processing apparatus 10, which received the HTTP request from the Web browser 21, inquires the language processing section 12 about the display language.

Following step S2, the routine proceeds to step S3 where the language processing section 12 performs a predetermined process mentioned later so as to determine the display language. Then, the language processing
5 section 12 outputs a character string for discriminating the determined display language (for example, Japanese language if Japanese language is set as the display language) to the Web server 11.

As mentioned above, the user of the terminal
10 21 uses Czechoslovakia language. However, the languages supported in the image processing apparatus 10 are Japanese language and English language. Thus, in the present embodiment, the language processing section 12 determines a language, which has a high-possibility that
15 the user of the terminal 20 can understand, as the display language by performing a process mentioned later.

Following step S4, the routine proceeds to step S5 where the incorporative Web server 11 calls the Web application 14, which corresponds to the URL
20 designated in the HTTP request. It should be noted that when calling the Web application 14, incorporative Web server 11 notifies the Web application 14 of the display language.

Following step S5, the routine proceeds to
25 step S6 where the Web application 14 performs the

predetermined process so as to produce Web pages with a HTML format. For example, if the Web application 14 is to produce the Web page that displays the status information of the image processing apparatus 10, the
5 Web application 14 acquires the status information of the image processing apparatus 10 through the API so as to produce the Web page which displays the acquired information in the display language. Accordingly, if the display language is Japanese, the Web application 14
10 produces the Web page displayed in Japanese.

Following step S6, the routine proceeds to step S7 where the Web application 14 outputs the produced Web page to the incorporative Web server 11. Then, the Web server 11 sends, in step S8, the Web page
15 to the browser 21.

Following step S8, the routine proceeds to step S9 where the Web browser 21 displays the received Web page. It should be noted that the display of Web page is not in Czechoslovakia language but in Japanese
20 or English. However, since the language processing section 12 determines the language, which has high possibility that the user of the terminal 20 can understand, as the display language, it is highly possible that the Czechoslovakia user of the terminal 20
25 can understand the contents of the Web page by viewing

the Web page.

A description will now be given, with reference to FIG. 4, of the process of step S3 in detail. FIG. 4 is a flowchart of a process for determining the display language performed by the language processing section 12.

In step S31, the language processing section 12 determines whether a value is set in the Accept-Language field notified by the incorporative Web server 11. It is because the Accept-Language field may not be provided in the request header depending on a mounted state of a Web browser. If the Accept-Language field is set up, the routine proceeds to step S32. On the other hand, if the Accept-Language field is not set up, the routine proceeds to step S34. In this case, "cs" (Czechoslovak language) is set up, and, thus, the routine proceeds to step S32.

In step S32, the language processing section 12 acquires a list of languages, which the image processing apparatus 10 is supporting, from the language information management table 13.

FIG. 5 is an illustration showing an example of a structure of the language information management table. The language information management table 13 shown in FIG. 5 has a "support language" column and an

"operation panel language" column as data items, and one record is registered for each supported language. Discrimination information of the languages supported by the image processing apparatus 10 is registered in the

5 "support language" column. The "operation panel language" column is an item, which indicates whether each support language is used as the operation panel language. That is, when a support language is used as the operation panel language, "1" is registered in

10 relation to the support language concerned. It is appreciated from FIG. 5 that the image processing apparatus 10 is supporting two languages (Japanese and English) that are discriminated by "ja" and "en-us", and Japanese is selected as the operation panel language.

15 Therefore, the language processing section 12 acquires two languages, "ja" and "en-us", as the support language from the language information management table 13.

Following step S33, the routine proceeds to step S32 where the language processing section 12

20 determines whether or not there is any language, which matches the language (hereinafter, referred to as a "request language") specified in the Accept-Language field, among the support languages. If there is a language that matches the request language among the

25 support languages, the routine proceeds to step S36. On

the other hand, if there is no language that matches the request language among the support languages, the routine proceeds to step S34. In this case, the request language is "cs" and the support languages are "ja" and "en-us", and, thus, the request language corresponds to neither of the support languages. Accordingly, the routine proceeds to step S34. It should be noted that if a plurality of languages are specified in the Accept-Language fields, the language processing section 12 determines whether or not there is any language which matches the support language with respect to all languages specified in the Acceptance-Language field.

In step S34, the language processing section 12 determines the operation panel language based on information in the "operation panel language" column of the language information management table 13. Since the operation panel language is "ja" as shown in FIG. 5, the language processing section 12 determines that the language (Japanese) discriminated by "ja" is the operation panel language. Following step S34, the routine proceeds to step S35 where the language processing section 12 determines the operation panel language as the display language, and outputs a value of "ja" to the incorporative Web server 11.

It should be noted that if the request

language is included in the support languages (in the case of Yes of S33), that is, when an HTTP request is received from the Web browser 21 or the Web browser, the language processing section 12 determines, in step S36,
5 the request language as the display language as it is, and outputs discrimination information of the display language to the incorporative Web server 11.

As mentioned above, the image processing apparatus 10 according to the present embodiment
10 produces a Web page using an operation panel as a display language when there is no designation of the request language made by a remote terminal or when the language designated as the request language is not supported in the image processing apparatus 10.
15 Therefore, the Web page described in the operation panel is displayed on the remote terminal.

In a Web server that exhibits information all over the world, it cannot narrow down languages, which users use, since the users accessing the Web server are
20 located all over the world. However, in the Web site provided by an incorporative device such as the image processing apparatus 10, users who accesses are limited to a quite narrow range.

For example, if the image processing apparatus
25 10 is located on a floor of an office, persons who want

to access the image processing apparatus 10 are limited to persons on that floor. That is, they are persons who actually operate the image processing apparatus 10 using the operation panel. Moreover, persons working in a
5 place limited to some extent should communicate normally by a common language. For example, as in the office in Japan as in the present embodiment, the users of the terminals 20, 30 and 40 should communicate with each other using Japanese language.

10 Thus, the language (operation panel language) displayed on the operation panel of the image processing apparatus 10 should be set to the language which the persons on the floor can commonly understand. That is, it is highly possible that the Czechoslovak user of the
15 terminal 20 understands the operation panel language, and it is possible very much that the Czechoslovak user of the terminal 20 can access the Web page provided by the image processing apparatus 10 and understand the contents of the Web page.

20 Therefore, it can be said that the image processing apparatus 10 according to the present embodiment has validity very much and makes a rational judgment in providing a Web page according to a language
suitable for users within a range of the support
25 languages. The users can access the Web page provided

by the image processing apparatus in the language, which each user can understand.

It should be noted that although the image processing apparatus is explained as an example of the information service apparatus in the present embodiment, the present invention is applicable to other apparatuses that serve as a Web server.

The present invention is not limited to the specifically disclosed embodiments, and variations and modifications may be made without departing from the scope of the present invention.

The present application is based on Japanese priority application No. 2003-001115 filed January 7, 2003, the entire contents of which are herein incorporated by reference.